38 CFR Ch. I (7-1-19 Edition)

§4.79

disability of only one eye is service-connected), and the corrected visual acuity for the better eye (or visual acuity of 20/40 for the other eye, if only one eye is service-connected) to determine the percentage evaluation for visual impairment under diagnostic codes 6065 through 6066.

(2) When diplopia extends beyond more than one quadrant or range of degrees, evaluate diplopia based on the quadrant and degree range that provides the highest evaluation.

(3) When diplopia exists in two separate areas of the same eye, increase the equivalent visual acuity under diagnostic code 6090 to the next poorer level of visual acuity, not to exceed 5/200.

(Authority: 38 U.S.C. 1155)

[73 FR 66550, Nov. 10, 2008, as amended at 83 FR 15321, Apr. 10, 2018]

§4.79 Schedule of ratings—eye.

DISEASES OF THE EYE

		Rating
Gener	al Rating Formula for Diseases of the Eye: Evaluate on the basis of either visual impairment due to the particular condition or on incapacitating episodes, whichever results in a higher evaluation With documented incapacitating episodes requiring 7 or more treatment visits for an eye condition during the past 12 months	60
	With documented incapacitating episodes requiring at least 5 but less than 7 treatment visits for an eye condition during the past 12 months	40
	condition during the past 12 months	20
	condition during the past 12 months	10
6001	Choroidopathy, including uveitis, iritis, cyclitis, or choroiditis. Keratopathy.	
	Scleritis.	
	Retinopathy or maculopathy not otherwise specified Intraocular hemorrhage.	
	Detachment of retina.	
	Unhealed eye injury.	
	Note: This code includes orbital trauma, as well as penetrating or non-penetrating eye injury	
6010	Tuberculosis of eye:	
	Active	100
0044	Inactive: Evaluate under § 4.88c or § 4.89 of this part, whichever is appropriate.	
6011	Retinal scars, atrophy, or irregularities: Localized scars, atrophy, or irregularities of the retina, unilateral or bilateral, that are centrally located and that result in an irregular, duplicated, enlarged, or diminished image	10
	Alternatively, evaluate based on the General Rating Formula for Diseases of the Eye, if this would result in a higher evaluation	10
6012	Angle-closure glaucoma	
6012	Evaluate under the General Rating Formula for Diseases of the Eye. Minimum evaluation if continuous medication is required	10
0010	Evaluate under the General Rating Formula for Diseases of the Eye. Minimum evaluation if continuous medication is required	10
6014	Malignant neoplasms of the eye, orbit, and adnexa (excluding skin): Malignant neoplasms of the eye, orbit, and adnexa (excluding skin) that require therapy that is comparable to those used for systemic malignancies, i.e., systemic chemotherapy, X-ray therapy more extensive than to the area of the eye, or surgery more extensive than enucleation	100
	Note: Continue the 100 percent rating beyond the cessation of any surgical, X-ray, antineoplastic chemotherapy, or other therapeutic procedure. Six months after discontinuance of such treatment, the appropriate disability rating will be determined by mandatory VA examination. Any change in evaluation based upon that or any subsequent examination will be subject to the provisions of §3.105(e) of this chapter. If there has been no local recurrence or metastasis, evaluate based on residuals Malignant neoplasms of the eye, orbit, and adnexa (excluding skin) that do not require therapy comparable to that for systemic malignancies: Separately evaluate visual and nonvisual impairment, e.g., disfigurement (diagnostic code 7800), and com-	
6015	bine the evaluations. Benign neoplasms of the eye, orbit, and adnexa (excluding skin):	

Department of Veterans Affairs

DISEASES OF THE EYE—Continued

	DISEASES OF THE LTE—Continued	
		Rating
	Separately evaluate visual and nonvisual impairment, e.g., disfigurement (diagnostic code 7800), and combine the evaluations	
	Nystagmus, central	10
	Trachomatous conjunctivitis: Active: Evaluate under the General Rating Formula for Diseases of the Eye, minimum rating	30
	Active: Evaluate under the General Rating Formula for Diseases of the Eye, minimum rating	10
6019	Ptosis, unilateral or bilateral: Evaluate based on visual impairment or, in the absence of visual impairment, on disfigurement (diagnostic code 7800).	
6020	Ectropion: Bilateral	20 10
6021	Unilateral Entropion: Bilateral	20
6022	Unilateral Lagophthalmos:	10
	Bilateral Unilateral	20 10
6023	Loss of eyebrows, complete, unilateral or bilateral	10
	Loss of eyelashes, complete, unilateral or bilateral	10
6025	Disorders of the lacrimal apparatus (epiphora, dacryocystitis, etc.): Bilateral	20 10
	Optic neuropathy	
	Cataract: Preoperative: Evaluate under the General Rating Formula for Diseases of the Eye Postoperative: If a replacement lens is present (pseudophakia), evaluate under the General Rating Formula for Diseases of the Eye. If there is no replacement lens, evaluate based on aphakia (diagnostic code 6029)	
6029	Aphakia or dislocation of crystalline lens: Evaluate based on visual impairment, and elevate the resulting level of visual impairment one step. Minimum (unilateral or bilateral)	30
	Paralysis of accommodation (due to neuropathy of the Oculomotor Nerve (cranial nerve III)). Loss of eyelids, partial or complete:	20
6034	Separately evaluate both visual impairment due to eyelid loss and nonvisual impairment, e.g., disfigurement (diagnostic code 7800), and combine the evaluations. Pteryglum:	
	Evaluate under the General Rating Formula for Diseases of the Eye, disfigurement (diagnostic code 7800), conjunctivitis (diagnostic code 6018), etc., depending on the particular findings, and combine in accordance with § 4.25	
	Keratoconus Status post corneal transplant: Evaluate under the General Rating Formula for Diseases of the Eye. Minimum, if there is pain,	
6037	photophobia, and glare sensitivity	10
6040	Evaluate based on disfigurement (diagnostic code 7800). Diabetic retinopathy	
6042	Beland dystrophy (including retinitis pigmentosa, wet or dry macular degeneration, early-onset macular de- eration, rod and/or cone dystrophy)	
6046	Post-chiasmal disorders	
	Impairment of Central Visual Acuity	
6061	Anatomical loss of both eyes ¹	100
6062	No more than light perception in both eyes ¹	100
	In the other eye 5/200 (1.5/60)	100 90
	In the other eye 10/200 (3/60)	80
	In the other eye 20/200 (6/60)	70
	In the other eye 20/100 (6/30)	60 60
	In the other eye 20/70 (6/21) In the other eye 20/50 (6/15)	50
6064	In the other eye 20/40 (6/12)	40
	In the other eye 5/200 (1.5/60)	100 90
	In the other eye 15/200 (4.5/60)	80

38 CFR Ch. I (7-1-19 Edition)

DISEASES OF THE EYE—Continued

		Rating
	In the other eye 20/200 (6/60)	70
	In the other eye 20/100 (6/30)	60
	In the other eye 20/70 (6/21)	50
	In the other eye 20/50 (6/15)	40
	In the other eye 20/40 (6/12)	30
6065	Vision in one eye 5/200 (1.5/60):	30
0003		1100
	In the other eye 5/200 (1.5/60)	90
	In the other eye 10/200 (3/60)	
	In the other eye 15/200 (4.5/60)	80
	In the other eye 20/200 (6/60)	70
	In the other eye 20/100 (6/30)	60
	In the other eye 2070 (6/21)	50
	In the other eye 20/50 (6/15)	40
	In the other eye 20/40 (6/12)	30
	Visual acuity in one eye 10/200 (3/60) or better:	
Visior	in one eye 10/200 (3/60):	
	In the other eye 10/200 (3/60)	90
	In the other eye 15/200 (4.5/60)	80
	In the other eye 20/200 (6/60)	70
	In the other eye 20/100 (6/30)	60
	In the other eye 20/70 (6/21)	50
	In the other eye 20/50 (6/15)	40
	In the other eye 20/40 (6/12)	30
Vicior	in one eye 15/200 (4.5/60):	00
VISIOI	In the other eye 15/200 (4.5/60)	80
		70
	In the other eye 20/200 (6/60)	
	In the other eye 20/100 (6/30)	60
	In the other eye 20/70 (6/21)	40
	In the other eye 20/50 (6/15)	30
	In the other eye 20/40 (6/12)	20
Visior	in one eye 20/200 (6/60):	
	In the other eye 20/200 (6/60)	70
	In the other eye 20/100 (6/30)	60
	In the other eye 20/70 (6/21)	40
	In the other eye 20/50 (6/15)	30
	In the other eye 20/40 (6/12)	20
Visior	in one eye 20/100 (6/30):	
	In the other eye 20/100 (6/30)	50
	In the other eye 20/70 (6/21)	30
	In the other eye 20/50 (6/15)	20
	In the other eye 20/40 (6/12)	10
Vicion	in one eve 20/70 (6/21):	10
V 15101	, , ,	00
	In the other eye 20/70 (6/21)	30 20
	In the other eye 20/50 (6/15)	
	In the other eye 20/40 (6/12)	10
Visior	in one eye 20/50 (6/15):	
	In the other eye 20/50 (6/15)	10
	In the other eye 20/40 (6/12)	10
Visior	in one eye 20/40 (6/12):	
	In the other eye 20/40 (6/12)	0

¹Review for entitlement to special monthly compensation under 38 CFR 3.350.

RATINGS FOR IMPAIRMENT OF VISUAL FIELDS

	Rating
6080 Visual field defects:	
Homonymous hemianopsia	. 30
Loss of temporal half of visual field:	
Bilateral	. 30
Unilateral	. 10
Or evaluate each affected eye as 20/70 (6/21).	
Loss of nasal half of visual field:	
Bilateral	. 10
Unilateral	. 10
Or evaluate each affected eye as 20/50 (6/15).	
Loss of inferior half of visual field:	
Bilateral	30
Unilateral	. 10
Or evaluate each affected eye as 20/70 (6/21).	
Loss of superior half of visual field:	

Department of Veterans Affairs

RATINGS FOR IMPAIRMENT OF VISUAL FIELDS—Continued

		Rating
	Bilateral	10 10
	Or evaluate each affected eye as 20/50 (6/15).	
Conce	entric contraction of visual field:	
	With remaining field of 5 degrees: 1	
	Bilateral	100
	Unilateral	30
	Or evaluate each affected eye as 5/200 (1.5/60).	
With r	emaining field of 6 to 15 degrees:	
	Bilateral	70
	Unilateral	20
	Or evaluate each affected eye as 20/200 (6/60).	
With r	emaining field of 16 to 30 degrees:	
	Bilateral	50
	Unilateral	10
	Or evaluate each affected eye as 20/100 (6/30).	
With r	emaining field of 31 to 45 degrees:	
	Bilateral	30
	Unilateral	10
	Or evaluate each affected eye as 20/70 (6/21).	
With r	emaining field of 46 to 60 degrees:	
	Bilateral	10
	Unilateral	10
	Or evaluate each affected eye as 20/50 (6/15).	
6081	Scotoma, unilateral:	
	Minimum, with scotoma affecting at least one-quarter of the visual field (quadrantanopsia) or with centrally located scotoma of any size	10
	Alternatively, evaluate based on visual impairment due to scotoma, if that would result in a higher evaluation.	

 $^{^{\}rm 1}\,\mbox{Review}$ for entitlement to special monthly compensation under 38 CFR 3.350.

RATINGS FOR IMPAIRMENT OF MUSCLE FUNCTION

Degree of diplopia	Equivalent visual acuity
6090 Diplopia (double vision):	
(a) Central 20 degrees	5/200 (1.5/60)
(b) 21 degrees to 30 degrees	
(1) Down	15/200 (4.5/60)
(2) Lateral	20/100 (6/30
(3) Up	20/70 (6/21)
(c) 31 degrees to 40 degrees	
(1) Down	20/200 (6/60)
(2) Lateral	20/70 (6/21)
(3) Up	20/40 (6/12)
Note: In accordance with 38 CFR 4.31, diplopia that is occasional or that is correctable with spectacles is	
evaluated at 0 percent.	
6091 Symblepharon:	
Evaluate under the General Rating Formula for Diseases of the Eye, lagophthalmos (diagnostic code 6022), disfigurement (diagnostic code 7800), etc., depending on the particular findings, and combine in accordance with § 4.25	

(Authority: 38 U.S.C. 1155)

 $[73\;\mathrm{FR}\;66550,\,\mathrm{Nov}.\;10,\,2008,\,\mathrm{as}\;\mathrm{amended}\;\mathrm{at}\;83\;\mathrm{FR}\;15321,\,\mathrm{Apr}.\;10,\,2018]$

$\S\S4.80-4.84$ [Reserved]

IMPAIRMENT OF AUDITORY ACUITY

\$4.85 Evaluation of hearing impairment.

(a) An examination for hearing impairment for VA purposes must be conducted by a state-licensed audiologist

and must include a controlled speech discrimination test (Maryland CNC) and a puretone audiometry test. Examinations will be conducted without the use of hearing aids.

(b) Table VI, "Numeric Designation of Hearing Impairment Based on Puretone Threshold Average and